

409, Mangalwar Peth, Shop No. 5 & 6 , Lloyds Chambers, Block -1 ,Barne Road , Next to Sinchan Bhawan, Pune-4110 11.

Tel : 02041237999 / 48611087

Project Order-823706667 3 / 76/71/75














Authorised Distributors of Prince Cpvc,Upvc,Swr,DWC Pipe ,Viega Plumbing/Geberit concealed flushing Tank,SWG,CI,SMP Pipes & Fitting,















Greetings (Thermodrain), Jaquar CP & Sanitary Fittings.

VARIE VALVE PRICE LIST

BALL VALVE
















DATE : 06.07.2024





















	Ball Valve-Forged Brass Body with Aluminium handle (PN30)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	602	873	1369	2007	2977	4751			
	Ball Valve-Forged Brass Body with Aluminium handle (PN25)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	531	779	1322	1700	2768	4008			
	Ball Valve-Forged Brass Body with Aluminium handle (PN25)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	460	690	1144	1487	2384	3552			
	Male-Female Ball Valve-Forged Brass Body with Aluminium handle (PN25)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	492	751	1224	1591	2550	3801			
	Ball Valve- Brass body with Chrome Plating with M S handle								
	15mm	20mm	25mm	32mm					
	379	536	887	1396					
	Ball Valve- Mini ball valve with Aluminium handle(PN16)								
	15mm								
	425								
	Ball Valve-Forged brass body with Steel handle ;PN16. (PN25 on request)								
	65mm	80mm	100mm						
	9280	14207	21275						
	Compression joint Ball Valve-Forged Brass Body with Aluminium handle (PN16)								
	15mm	22mm	28mm	35mm	42mm	54mm			
	650	950	1489	2680	3836	6483			
BUTTERFLY VALVE									
	Butterfly Valve-Wafer Type, Lever Operated, C.I body with SG Iron Disc- PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm			
	3144	3644	4288	5573	-	9287			
	Butterfly Valve-Wafer Type, Lever Operated, C.I body with SS304 Disc- PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm			
	3656	4125	4647	6123	-	10843			
	Butterfly Valve-Wafer Type, Gear Operated, C.I body with SG Iron Disc- PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
							19995	27493	On Request
	Butterfly Valve-Wafer Type, Gear Operated, C.I body with SS304 Disc- PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
							24046	40755	On Request
	Butterfly Valve-Wafer Type, Lever Operated, C.I body with SS304 Disc- PN 25. (Geared options available)								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	
	On Request								

GATE VALVE									
	Gate Valve-Anti Corrosion Coating D.I body, Non Rising Stem, PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	9416	10655	13381	21063	On Request	30232	49560	71862	On Request
STRAINERS									
	Easy Clean Strainer Elbow type: Gunmetal/ Bronze body with 400 Micron Filter and Transparent cap. PN10 Female BSP. (higher PN rating on request)								
	40mm	50mm	65mm	80mm					
	8671	9086	12850	14797					
	Elbow type Strainer. C.I body with Anti Corrosion Coating with 400 Micron Filter. (Easy Clean feature optional) (Easy								
	40mm	50mm	65mm	80mm					
	3127	3540	4130	4956					
	Easy Clean Strainer- Elbow type:UPVC body with 400 Micron Filter. PN10 Socket End Connection. (higher PN rating on request) (Transparent Filter Cap on request)								
	100mm	150mm	200mm	250mm	spanners for filter cap * Required for LS1 U Strainer		100 mm	150mm	
	10762	28462	On Request				566	3036	
	Easy Clean Strainer-Brass body, 400 micron filter and transparent cap								
	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	
	3251	3598	4342	5013	7774	8378	15735	18571	
	Easy Clean Strainer-Gunmetal body, 400 Micron Filter and Transparent Cap								
	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	
	3479	3849	4646	5363	8318	8964	16836	19870	
	Easy Clean Strainer-Gunmetal/ Bronze body, 400 Micron Filter with Transparent Cap and Spanner + User Manual + Forecolor Box								
	15mm	20mm	25mm	32mm					
	3574	4078	4742	5421					
	Easy Clean Strainer-Y type, UPVC body with (brass) threaded end connection, with 200 Micron Filter and transparent cap.								
	15mm	20mm	25mm	32mm					
	1463	1519	Under development						
	Easy Clean Strainer-Y type, UPVC body with socket end connections with 200 Micron Filter and Transparent Cap.								
	15mm	20mm	25mm	32mm					
	-	1421	Under development						
	Strainer-Y type, Forged Brass body with 800 Micron Filter. PN 16								
	15mm	20mm	25mm	32mm	40mm	50mm			
	389	601	877	1689	2323	3921			
	Strainer-Y type, C.I body with Anti Corrosion Coating, 400 Micron Filter, Flanged End ,Transparent Cap ; PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm			
	-	-	-	35164	-	44788.08			
	Easy Clean Strainer-Y Anti Corrosion Coating C.I body, 400 Micron Filter; Flanged End; (with D.I body option) PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	8850	10915	13699	20980	-	48271	91098	123445	
	Easy Clean Strainer-Y type Gunmetal body with 400 Micron Filter and Transparent Cap; Flanged End . PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm			
	-	-	-	179994	-	204193			
	Strainer-Y type, Anti Corrosion Coating C.I body (with D.I body option) with 3 mm Filter Screen. Flanged End; PN16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	4859	5855	7407	11092	12253	18762	28739	116805	
YN9 U	Strainer-Y type, UPVC body SS16 - 400 microns Filter; Solvent Joint / Female BSP end conn; PN16								
	15mm	20mm	25mm	32mm					
				Under development					

DIAPHRAGM PRV

(Piston and Bellows Type On Request)

	PRV-Brass Body with built in filter 400 microns and Transparent Cap.(o/p range 1 to 5 bar). Male BSP thread								
	15mm	20mm	25mm	32mm	40mm				
	-	4112	5204	5812	12871				
	PRV- Brass body without built in filter .(o/p range 1 to 5 bar). Male BSP thread								
	15mm	20mm	25mm	32mm	40mm				
	-	3853	4859	5480	12081				
	PRV-UPVC body, Socket End Connection; (o/p 1 to 5 bar) *optional built in filter available								
	15mm	20mm							
	#	1392	# For 15mm use bushing on 20mm prv						
	PRV-UPVC body, brass female BSP thread end connection; (o/p 1 to 5 bar) *optional built in filter available								
	15mm	20mm							
	1475	1558							
	PRV- Gunmetal body, female BSP, PN 16 (O/P 1 to 5 bar) *optional built in filter available								
	15mm	20mm	optional built in filter available						
	2961	3390							
	PRV- Elbow type, SS 304 body, PN 16; 1 to 5 bar outlet range; female BSP. *other body material options available								
	15mm	20mm	25mm	32mm	40mm	50mm	65mm		
	-	-	3906	4956	5617	8024	20768		
	PRV- Elbow type, Brass body, PN 16; o/p range 1 to 5 bar ; female BSP								
	15mm	20mm	25mm	32mm	40mm	50mm	65mm		
	-	-	5062	6176	6931	9950	20229		
	PRV- Brass body with built in filter (400 Microns) and Transparent Cap. PN16 (1 to 5 bar o/p range) Female BSP ends								
	15mm	20mm	25mm	32mm	40mm	50mm			
	4803	5127	6140	6815	12565	13629			
	PRV- Brass body with built in filter (400 Microns). PN16 (1 to 5 bar o/p range) Female BSP								
	15mm	20mm	25mm	32mm	40mm	50mm			
	4260	4716	5699	6319	11461	12638			
	PRV-Brass body; EasyClean built in filter (200 Microns); Transparent Cap; PN16 . o/p 1 to 5 bar; Female BSP Ends.								
	15mm	20mm	25mm	32mm	40mm	50mm			
	6490	7100	7788	9086	14538	16705			
	PRV-Brass body without filter, PN 16 (1 to 5 bar outlet range); female BSP								
	15mm	20mm	25mm	32mm	40mm	50mm			
	3988	4275	5171	5767	10848	11788			
	PRV-GM/ Bronze body with built in filter (400 Microns); Transparent Cap; PN16; (1 to 5 bar o/p);								
	15mm	20mm	25mm	32mm	40mm	50mm			
	5378	5742	6753	7497	13821	15129			
	PRV- GM/ Bronze body with Easy Clean built in filter (200 Microns); Transparent Cap; PN16; (1 to 5 bar o/p)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	7066	7715	8402	9768	15794	18205			
	PRV Gunmetal body with built in filter (400 Microns) for Low outlet pressure (0.5 to 2 bar); Transparent Cap; female BSP, PN16								
	15mm	20mm	25mm	32mm					
	5283	5640	6753	7497					
	PRV-Same as VL+ Easy Clean filter Attachment								
	15mm	20mm	25mm	32mm					
	7009	7668	8411	9813					

	PRV-Gunmetal body with built in filter (400 Microns); Transparent Cap; female BSP PN 16; higher o/pp pressure (1.5 to 10 bar)								
	15mm	20mm	25mm	32mm	40mm	50mm			
	-	-	6753	7497	13821	14992			
	PRV- C.I body with anti-corrosion coating ; Brass internals, Flanged ASA150. PN16								
	50mm	65mm	80mm	100mm					
	-	66269	82836	127523					
	PRV-Gunmetal body with brass internals, Flanged ASA150. PN16								
	50mm	65mm	80mm	100mm					
	-	108767	163862	317326					
	PRV - piston operated PRV , threaded end bronze body. Pn16 o/p range 1 to 5 bar.								
	80mm	100mm							
	Pressure Reducing Pilot Operated Control Valve, D.I body with Anti Corrosion Coating ; flanged connection. PN16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	-	68060	86376	96866	-	130850	197650		
	Pilot Operated Float Valve, D.I body with Anti Corrosion Coating ; flanged connection. PN16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	-								
AIR VENT VALVE									
	Air Vent Valve-Brass body plate; Transparent Chamber; built in filter (for cold water only) PN 10								
	15mm	20mm	25mm	32mm					
	658	696	1024	1062					
	Air Vent Valve-Brass body plate; Brass chamber; built in filter; PN10 (for Hot water)								
	15mm	20mm	25mm	32mm					
	806	1399	1561	2047					
	Auto Shut Off for air vent valves								
	15mm	20mm							
	385	531							
NRV									
	NRV -Spring type (multi utility) forged brass body. PN 16								
	15mm	20mm	25mm	32mm	40mm	50mm			
	486	648	848	1329	2001	2831			
	NRV -Swing type (flap). Forged brass body with NBR seals, PN 16								
	15mm	20mm	25mm	32mm	40mm	50mm	65mm		
	506	597	831	1739	1804	3881	12390		
	NRV Swing type (flap). C.I/ D.I body with Anti Corrosion Coating with NBR seals, PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	11034	15332	19536	27375		42484	69034		
	NRV Dual Plate, wafer type, Anti Corrosion Coating D.I./C.I body with SS304 disc. PN 16								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	4895	5410	6164	7746	9349	11800	22680	35164	51042
	NRV Dual Plate, wafer type, Anti Corrosion Coating D.I./C.I body with SS304 disc. PN 25								
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
	5629	6222	7089	8908	-	13570	26082	40439	On Request
DrainGun®									
	Drain Cleaning Tool (DT)								
	DT5	DT12	DT25						
	5 Feet	12 Feet	25 Feet						
	1146	1462	1859						
FLOAT VALVE									
	Float Valve-Diaphragm operated								
	15mm								
	2053								
PRESSURE TESTING KIT									
PTK 1 upto 6 Bar					PTK 2 upto 20 bar				
									
4956					8850				
SUN CAP / SPANNER									
						spanner for filter cap and bonnet			
	15mm	25mm				15 / 20	25 / 32	40 / 50	65 / 80