



*Zero defect manufacturing process




ZERO DEFECT CHOICE




Product Catalogue

THE JOURNEY



COMPANY OVERVIEW



RECENTLY VENTURED INTO STORAGE WATER TANKS AND PIPE DUCTING SOLUTIONS



TECHNICAL COLLABORATION



PRODUCT COLLABORATION





*Shree + Prayers
Akshay*

AKSHAY KUMAR

Celebrating the unsung heroes with the world's first plumber song

Plumbers are an integral part of our industry and therefore, deserve recognition for the same. So, we at Prince, decided to pay a special tribute to our plumber friends we fondly refer to as '**Mitra**'.

Therefore, the first Plumber Anthem ever -

*Ji ji kar ke baat karo,
hum toh plumber hain...*

The song first originally released on the occasion of **World Plumbing Day (2018)** in Hindi, got an overwhelming response the moment it went online. The fact that it instantly became a popular caller tune in the plumber community made it even more special. And this year, it's touching many more plumbers across the nation with its various regional versions. We hope this Zero Defect chain keeps growing with every passing year.



Manufacturing Units

State-of-the-art manufacturing units producing piping systems

Dadra
(Silvassa) Year of Est. 2000



Athal
(Silvassa) Year of Est. 1995



Kolhapur
(Maharashtra) Year of Est. 2012



Haridwar
(Uttarakhand) Year of Est. 2008



Chennai
(Tamil Nadu) Year of Est. 2012



Jaipur
(Rajasthan) Year of Est. 2019



Sangareddy
(Telangana) Year of Est. 2021



SWR



SILENTFIT[®]

Low Noise SWR Piping Systems

**A PREMIUM DRAINAGE SYSTEM
THAT SILENTLY DOES ITS JOB**



<11DB@2lps



Overview

With inevitably noisy urban outdoors, it becomes important to ensure silence and peace of mind indoors. Introducing Prince Silentfit - premium noise insulated drainage piping systems. Made of three layers - the outer and inner layers are made of UPVC material while the middle layer is made of specially formulated PVC serving as a noise insulator the result is silent operation with efficient drainage.

Product range

• Pipes:


- **Rubber Ring Joint:** 75, 110 & 160 mm
- **Solvent Joint:** 40, 50, 63, 75, 110, 160 mm

• Fittings:

- **Rubber Ring Joint:** 75, 110 & 160 mm
- **Solvent Joint:** 40, 50, 63, 75, 110, 160 mm

Reference Standards

Pipes			Fittings		
Size (mm)	Standard	End Connection	Size (mm)	Standard	End Connection
40, 50, 63, 75, 110, 160	-	Solvent & Rubber Ring joint	40 to 160	-	Solvent & Rubber Ring joint



Residential and Commercial buildings that require a high level of noise protection (hospitals, educational institutes, offices, business premises & high-rise buildings etc.) Where high level of noise protection is required.

Features and benefits

- Silent operation
- Compatible with other drainage products
- Sockets with rubber sealing rings allow for thermal expansion & contraction of the pipeline
- The jointing and installation procedures are similar to a regular UPVC SWR piping system
- Self-extinguishing. Does not support combustion.
- Rubber sealing rings ensure firm insertion joints, zero leakage and prevent noise transmission
- Long life

Dimensions

Nominal Size (Outside Diameter)	Mean Outside Diameter		Wall Thickness	
	Minimum	Maximum	Minimum	Maximum
(mm)	(mm)	(mm)	(mm)	(mm)
40	40.00	40.20	5.30	5.50
50	50.00	50.20	5.30	5.50
63	63.00	63.30	5.30	5.50
75	75.00	75.30	5.30	5.50
110	110.00	110.30	5.30	5.50
160	160.00	160.40	5.30	5.50

Prince Zero Defect Network



PRINCE PIPES AND FITTINGS LIMITED

Mfg. & Exporters of UPVC, CPVC, PPR & HDPE Pipes, Fittings, Valves & Water Tanks

Disclaimer: All information contained in this manual is given in good faith and believed to be accurate and reliable. No responsibility can be accepted for any error, omissions or incorrect assumptions. Any specification can change without prior notice. All the images are shown for representation purposes only.