



*Zero defect manufacturing process




ZERO DEFECT CHOICE




Product Catalogue

THE JOURNEY



COMPANY OVERVIEW

One of **India's largest integrated piping solutions**



RECENTLY VENTURED INTO STORAGE WATER TANKS AND PIPE DUCTING SOLUTIONS



TECHNICAL COLLABORATION



PRODUCT COLLABORATION





*Shu + Pray's
Akshay*

AKSHAY KUMAR

Celebrating the unsung heroes with the world's first plumber song

Plumbers are an integral part of our industry and therefore, deserve recognition for the same. So, we at Prince, decided to pay a special tribute to our plumber friends we fondly refer to as '*Mitra*'.

Therefore, the first Plumber Anthem ever -

*Ji ji kar ke baat karo,
hum toh plumber hain...*

The song first originally released on the occasion of **World Plumbing Day (2018)** in Hindi, got an overwhelming response the moment it went online. The fact that it instantly became a popular caller tune in the plumber community made it even more special. And this year, it's touching many more plumbers across the nation with its various regional versions. We hope this Zero Defect chain keeps growing with every passing year.



Manufacturing Units

State-of-the-art manufacturing units producing piping systems

Dadra
(Silvassa) Year of Est. 2000



Athal
(Silvassa) Year of Est. 1995



Kolhapur
(Maharashtra) Year of Est. 2012



Haridwar
(Uttarakhand) Year of Est. 2008



Chennai
(Tamil Nadu) Year of Est. 2012



Jaipur
(Rajasthan) Year of Est. 2019



Sangareddy
(Telangana) Year of Est. 2021



SWR



ULTRAFIT[®]

SWR Systems
With World Class Seals

**LEAK-PROOF SEWAGE FOR
SEEPAGE-PROOF STRUCTURES.**



Pipes as per
IS 13592



Fittings as per
IS 14735

Product range

• Pipes:


40 to 160 mm nominal diameter.

• Fittings:

- **Rubber Ring Joint:** 75, 90, 110 & 160 mm
- **Solvent Joint:** 40 to 160 mm

Standards

Pipes				Fittings		
Size (mm)	Standard	Type	End Connection	Size (mm)	Standard	End Connection
40 to 160	IS 13592	Type A For ventilation pipe work, rain water discharge and harvesting.	Rubber Ring & Solvent Joint	75, 90, 110, 160	IS 14735	Rubber Ring Joint
		Type B For soil and waste discharge system.		40 to 160		Solvent Joint



Features and benefits

- Lighter but strong
- Compatible with other drainage products
- Easy to install with low assembly force
- Smooth bore
- Cost-efficient
- World-class seals ensure long term sealing performance against leakage.

AERATOR

SOLVENT JOINT | RUBBER RING JOINT
FOR SINGLE STACK SYSTEM



Technical details

Nominal Size (Outside Diameter)	Mean Outside Diameter		Wall Thickness			
			Type A		Type B	
	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
40	40.00	40.30	1.80	2.20	3.20	3.80
50	50.00	50.30	1.80	2.20	3.20	3.80
63	63.00	63.30	1.80	2.20	3.20	3.80
75	75.00	75.30	1.80	2.20	3.20	3.80
90	90.00	90.30	1.90	2.30	3.20	3.80
110	110.00	110.40	2.20	2.70	3.20	3.80
160	160.00	160.50	3.20	3.80	4.00	4.60

Prince Zero Defect Network



PRINCE PIPES AND FITTINGS LIMITED

Mfg. & Exporters of UPVC, CPVC, PPR & HDPE Pipes, Fittings, Valves & Water Tanks

Disclaimer: All information contained in this manual is given in good faith and believed to be accurate and reliable. No responsibility can be accepted for any error, omissions or incorrect assumptions. Any specification can change without prior notice. All the images are shown for representation purposes only.